

MIME-Version: 1.0  
 From: Nathaniel Borenstein <nsb@bellcore.com>  
 To: Ned Freed <ned@innosoft.com>  
 Subject: A multipart example  
 Content-Type: multipart/mixed;  
 boundary=unique-boundary-1

This is the preamble area of a multipart message. Mail readers that understand multipart format should ignore this preamble. If you are reading this text, you might want to consider changing to a mail reader that understands how to properly display multipart messages.

--unique-boundary-1  
 ...Some text appears here...

[Note that the preceding blank line means no header fields were given and this is text, with charset US ASCII. It could have been done with explicit typing as in the next part.]

--unique-boundary-1  
 Content-type: text/plain; charset=US-ASCII  
 This could have been part of the previous part, but illustrates explicit versus implicit typing of body parts.

--unique-boundary-1  
 Content-Type: multipart/parallel; boundary=unique-boundary-2

--unique-boundary-2  
 Content-Type: audio/basic  
 Content-Transfer-Encoding: base64  
 ... base64-encoded 8000 Hz single-channel mu-law-format audio data goes here....

--unique-boundary-2  
 Content-Type: image/jpeg  
 Content-Transfer-Encoding: base64  
 ... base64-encoded image data goes here....

--unique-boundary-2--  
 --unique-boundary-1  
 Content-type: text/enriched

This is <bold><italic>richtext.</italic></bold> <smaller>as defined in RFC 1896</smaller>

Isn't it <bigger><bigger>cool?</bigger></bigger>

--unique-boundary-1  
 Content-Type: message/rfc822

From: (mailbox in US-ASCII)  
 To: (address in US-ASCII)  
 Subject: (subject in US-ASCII)  
 Content-Type: Text/plain; charset=ISO-8859-1  
 Content-Transfer-Encoding: Quoted-printable

... Additional text in ISO-8859-1 goes here ...

--unique-boundary-1--

**Figure 5.8 Example MIME Message Structure**